



2021 Transportation Conformity

2045 Metropolitan Transportation Plan and
2021-2024 Transportation Improvement Program
for the Alamo Area

What is the Alamo Area MPO?

The Alamo Area Metropolitan Planning Organization (MPO) is the designated MPO for the greater San Antonio area. The MPO develops transportation plans and programs to address the needs of Bexar, Comal, Guadalupe and a portion of Kendall Counties, a region that is home to more than 2.2 million people.

List of Transportation Policy Board and Technical Advisory Committee Members

http://www.alamoareampo.org/Committees/TPB/docs/TPB_Members.pdf
http://www.alamoareampo.org/Committees/TAC/docs/TAC_Members.pdf

Electronic Submittal

Conformity analysis documentation typically requires a significant amount of information to be submitted through an interagency consultation process. All items of this analysis are provided in electronic format. The electronic structure is organized consistent to this document's Table of Contents by chapter, section and appendix for efficient reviewing.

Acknowledgements

Prepared in cooperation with the Texas Department of Transportation and the U.S. Department of Transportation, Federal Highway Administration and Federal Transit Administration.

Abstract

TITLE: Transportation Conformity

DATE: January 2021

AUTHORS: Allison Blazosky
Transportation Planning Program Manager

Zachary Graham
Senior Transportation Modeler

SUBJECT: Transportation Conformity Determination for the Alamo Area Nonattainment Area including Mobility 2045: The Metropolitan Transportation Plan for the Alamo Area (*Mobility 2045*) and the 2021-2024 Transportation Improvement Program for the Alamo Area (2021-2024 TIP)

SOURCE OF COPIES: Alamo Area Metropolitan Planning Organization
825 S St. Mary's Street
San Antonio, TX 78205

NUMBER OF PAGES: 59

ABSTRACT: This report documents the conformity determination of the Bexar County nonattainment area. As required under [Section 176\(c\)\(4\)](#) of the Clean Air Act Amendments of 1990, Metropolitan Planning Organizations and the U.S. Department of Transportation are to make conformity determinations on transportation plans and transportation improvement programs before they are adopted, approved or accepted in air quality nonattainment areas. This report documents the conformity determination of *Mobility 2045* and 2021-2024 TIP by demonstrating both meet the conformity-related requirements of the Clean Air Act Amendments of 1990 (United States Code, Title 42 Section 7506), State Implementation Plan, and the final conformity rule (Title 40 Code of Federal Regulations, Parts 51 and 93).

This page intentionally left blank

Table of Contents

What is the Alamo Area MPO? 2

List of Transportation Policy Board and Technical Advisory Committee Members 2

Electronic Submittal 2

Acknowledgements 2

Abstract 3

List of Exhibits 7

Glossary of Abbreviations 9

Chapter 1: Executive Summary 10

 1.1 Conformity Overview 10

 1.2 Nonattainment Area 10

 1.3 Analysis 11

 1.4 Summary 12

Chapter 2: Air Quality 13

 2.1 Air Pollution 13

 2.1.1 Ground Level Ozone 13

 2.2 Background on the Bexar County Ozone Nonattainment Area 13

 2.2.1 Current Ozone Standard 14

Chapter 3: Conformity 15

 3.1 What is Transportation Conformity 15

 3.2 Purpose 16

 3.3 Conformity Criteria 16

 3.4 Checklist 16

 3.5 Emissions Analysis 20

 3.5.1 Regional Inventory 20

 3.5.2 Emissions Tests 20

 3.5.3 Analysis Years 20

 3.5.4 Analysis Results 21

Chapter 4: *Mobility 2045* and 2021-2024 TIP 23

 4.1 Overview 23

4.2 Submittal Frequency	23
4.3 Regionally Significant Travel Projects/Programs	24
4.4 Non-Federal Projects/Programs	25
4.5 Exempt Projects/Programs	26
4.6 Constraints	26
4.6.1 Long-Range Financial Constraint (Plan)	26
4.6.2 Short-Range Financial Constraint (TIP)	27
Chapter 5: Estimation of Vehicle Activity	28
5.1 Travel Demand Model Overview (Regional SAMM4.1 TDM).....	28
5.2 Multimodal Transportation Analysis Process	30
5.2.3 Roadway & Transit Assignment Model	32
5.3 Speed Estimation Procedure	32
5.4 Local Speed VMT	33
5.5 Model VMT Adjustments.....	33
5.5.1 2017 Historical Year HPMS Consistency and Summer Weekday Adjustments	34
5.5.3 Summer Weekday Hourly VMT Distribution	35
5.5.4 Directional Factors	36
5.5.5 Hourly Congested Speeds	36
5.6 Transit System.....	36
5.6.1 Transit VMT.....	36
5.7 Roadway Travel & VMT by Time of Day	37
5.7.1 Average Loaded Speeds.....	37
5.7.2 Centerline and Lane Miles.....	37
Chapter 6: Estimation of Off-Network Activity	38
6.1 Estimation of Vehicle Population	38
6.1.1 Vehicle Population Estimates for 2017, 2025, 2035 and 2045	38
6.2 Estimation of Source Hours Parked.....	39
6.3 Estimation of Starts.....	40
6.4 Estimation of Source Hours Idling and Auxiliary Power Unit Hours	40
Chapter 7: Emission Factors / MOVES Model	42

7.1 Overview.....	42
7.2 Emissions Factor Estimation Model.....	42
7.2.1 Vehicle Registration Distribution	49
7.3 Adjustments to Emission Factors.....	50
7.3.1 Low Emissions Diesel NOx Adjustment	50
7.3.2 Vehicle Miles of Travel Mix.....	50
7.4 Modeled Emission Estimation.....	51
Chapter 8: Mobile Source Emission Reduction Strategies (MoSERS).....	52
8.1 Overview.....	52
8.2 Congestion Mitigation and Air Quality Improvement Program	52
Chapter 9: Determination of Regional Emissions.....	53
9.1 Procedure	53
9.2 Modeled Emissions.....	53
9.3 Adjustments to Emission Factors.....	53
9.4 Mobile Source Emission Reduction Strategies	53
9.5 Final Emission Analysis Results	53
Chapter 10: Interagency Consultation	54
10.1 Process Description	54
Chapter 11: Public Participation	55
11.1 Process Description.....	55
List of Appendices	59

List of Exhibits

Exhibit 1.2-1 Alamo Area Metropolitan Planning Area and Nonattainment Area.....	11
Exhibit 1.3-1 Emission Results for the Bexar County Nonattainment Area.....	11
Exhibit 2.2.1-1 Alamo Area Design Value in Parts Per Billion.....	14
Exhibit 3.4-1 Information Required for Transportation Conformity Review.....	16
Exhibit 3.5.2-1 Baseline Emissions for the Bexar County Nonattainment Area.....	20
Exhibit 3.5.3-1 Required Analysis Years.....	21

Exhibit 3.5.4-1 2021 Transportation Conformity for the Bexar County Nonattainment Area Emissions of Nitrogen Oxides.....22

Exhibit 3.5.4-2 2021 Transportation Conformity for the Bexar County Nonattainment Area Emissions of Volatile Organic Compounds.....22

Exhibit 4.3-1 Regionally Significant Roads in Bexar County.....25

Exhibit 5.1-1 TDM Daily Time Periods.....28

Exhibit 5.1-2 Facility Type Codes.....29

Exhibit 5.1-3 Area Types.....30

Exhibit 5.2.1-1 Trip Purposes.....31

Exhibit 5.2.3-1 Mode Choices Modeled.....32

Exhibit 5.5.2-1 HPMS Factor.....34

Exhibit 5.5.2-2 Summer Weekday (SWKD) Factors for 2017 Baseline Year and 2025, 2035 and 2045 Future Years.....34

Exhibit 5.5.3-1 Summer Weekday Hourly VMT Distributions.....35

Exhibit 6.1-1 TxDMV Vehicle Registration Aggregations and Associated Vehicle Types for Estimating Vehicle Populations.....39

Exhibit 6.4-1 Hotelling Activity Distributions by Model Year.....41

Exhibit 7.2-1 MOVES2014b External Conditions.....43

Exhibit 7.2-2 MOVES2014b Input Parameters and Source.....44

Exhibit 7.2-3 MOVES2014b Hourly Meteorological Data for Bexar County.....47

Exhibit 7.2-4 MOVES2014b Fuel Supply.....48

Exhibit 7.2-5 MOVES2014b Fuel Formulation Inputs for Bexar County.....48

Exhibit 7.2.1-1 TxDMV Vehicle Registration Aggregations and Associated Vehicle Types for Estimating Vehicle Populations.....49

Exhibit 7.3.2-1 Vehicle Types Delineated in Local VMT Mix.....51

Exhibit 9.2-1 Emission Results for the Bexar County Nonattainment Area.....53

Exhibit 10.1-1 Interagency Consultation Meeting Participation.....54

Exhibit 11.1-1: Public Involvement for Transportation Conformity.....58

Glossary of Abbreviations

AT	Area Type	NAAQS	National Ambient Air Quality Standards
ANSWT	Average Non-Summer Weekday Travel	NHB	Non-home based
CAA	Clean Air Act	NO_x	Nitrogen Oxides
CAAA	Clean Air Act Amendments of 1990	ppb	Parts per Billion
CBD	Central Business District	PM	Particulate Matter
CFR	Code of Federal Regulations	RFP	Reasonable Further Progress
CMAQ	Congestion Mitigation and Air Quality Improvement Program	SAFETEA-LU	Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users
CMP	Congestion Management Process	SHI	Source Hours Idling
EAC	Early Action Compact	SHP	Source Hours Parked
EPA	Environmental Protection Agency	SHO	Source Hours Operating
FAST Act	Fixing America's Surface Transportation Act	SIP	State Implementation Plan
FHWA	Federal Highway Administration	SUT	Source Use Type
FTA	Federal Transit Administration	TAC	Technical Advisory Committee
FY	Fiscal Year	TAZ	Traffic Analysis Zone
GVWR	Gross Vehicle Weight Rating	TCM	Transportation Control Measure
HBW	Home-based Work	TCEQ	Texas Commission on Environmental Quality
HNW	Home-based Non-work	TERM	Transportation Emission Reduction Measure
HOV	High Occupancy Vehicle	TIP	Transportation Improvement Program
HPMS	Highway Performance Monitoring System	TPB	Transportation Policy Board
IAC	Interagency Consultation	tpd	Tons per Day
I/M	Inspection and Maintenance	TTI	Texas A&M Transportation Institute
ITS	Intelligent Transportation System	TxDMV	Texas Department of Motor Vehicles
MAP-21	Moving Ahead for Progress in the 21 st Century	TxDOT	Texas Department of Transportation
Mobility 2045	<i>Mobility 2045: The Metropolitan Transportation Plan for the Alamo Area</i>	TWG	Technical Working Group for Mobile Source Emissions
MoSERS	Mobile Source Emissions Reduction Strategies	USC	United States Code
MOVES	Motor Vehicle Emissions Simulator	USDOT	United States Department of Transportation
MPA	Metropolitan Planning Area	WOE	Weight of Evidence
MPO	Metropolitan Planning Organization	VHT	Vehicle Hours of Travel
MTP	Metropolitan Transportation Plan	VIA	VIA Metropolitan Transit
MVEB	Motor Vehicle Emissions Budgets	VMT	Vehicle Miles of Travel
		VOC	Volatile Organic Compounds

Chapter 1: Executive Summary


1.1 Conformity Overview

[Section 176\(c\)\(4\)](#) of the Clean Air Act Amendments (CAAA) of 1990 requires Metropolitan Planning Organizations (MPOs) for areas designated as nonattainment for the pollutant ozone to conduct an air quality conformity analysis to ensure metropolitan transportation plans (MTP) and transportation improvement programs (TIP) are consistent with the region's air quality goals. The conformity analysis estimates two precursors to ozone – nitrogen oxides (NO_x) and volatile organic compounds (VOC) – that result from the area's multi-modal transportation system. The analysis must demonstrate that expected future year emission totals of on-road mobile sources in the Bexar County nonattainment area are under emission totals of a known baseline year.

1.2 Nonattainment Area

Bexar County is classified as marginal nonattainment under the 2015 8-hour ozone National Ambient Air Quality Standards (NAAQS), shown in Exhibit 1.2-1. The Alamo Area Metropolitan Planning Organization is responsible for conducting the air quality conformity analysis to address the 2015 ozone NAAQS.

Exhibit 1.2-1 Alamo Area Metropolitan Planning Area and Nonattainment Area



1.3 Analysis

This emissions analysis is being conducted to ensure that the MPO’s Metropolitan Transportation Plan, known as *Mobility 2045*, and the 2021-2024 TIP meet the conformity-related requirements of the CAAA, State Implementation Plan (SIP), and the final conformity rule ([40 CFR Parts 51 and 93](#)). The analysis years for this conformity are: 2017 (baseline year), 2025, 2035, and 2045 (MTP horizon year). To meet regional air quality conformity requirements, emissions in all future analysis years must be lower than the emissions of the baseline year. The NO_x and VOC vehicle emission results shown in Exhibit 1.3-1 demonstrates the requirement is met.

Exhibit 1.3-1 Emission Results for the Bexar County Nonattainment Area

Analysis Year	NO _x (tons/day)	VOC (tons/day)
2017 (Baseline)	35.51	22.44
2025	16.93	14.81
2035	10.64	10.24
2045	10.76	9.91

1.4 Summary

Results of the transportation conformity determination demonstrate *Mobility 2045* and the 2021-2024 TIP for the MPO meet all transportation air quality conformity requirements of the Clean Air Act Amendments and the final conformity rule ([40 CFR Parts 51 and 93](#)). More information on what conformity is and the regulations that apply to it can be found at: https://www.fhwa.dot.gov/environment/air_quality/conformity/index.cfm. This conformity determination involved a pre-analysis consensus plan agreed upon by the Interagency Consultation (IAC) partner agencies (Chapter 10) and a public comment period (Chapter 11).

Chapter 2: Air Quality

2.1 Air Pollution

Based on the 1970 Clean Air Act and subsequent Amendments (CAAA), the U.S. Environmental Protection Agency (EPA) sets national standards, known as National Ambient Air Quality Standards (NAAQS), for six criteria pollutants: ozone, particulate matter, carbon monoxide, sulfur dioxide, nitrogen dioxide and lead. In the Alamo Area, the primary pollutant issue is ozone. Up-to-date regional information is available on the Alamo Area Metropolitan Planning Organization (MPO) website at www.alamoareampo.org/airquality.

2.1.1 Ground Level Ozone

Ground level or “bad” ozone is not emitted directly into the air. It is created when nitrogen oxides (NO_x) and volatile organic compounds (VOC) chemically react in the presence of sunlight. The Texas Commission on Environmental Quality (TCEQ), in concert with the MPO, is responsible for the part of the State Implementation Plan (SIP) that describes the amount of NO_x and VOC emitted by on-road vehicles.

Ground level ozone is known to trigger a variety of health problems. It is particularly harmful for children, older adults and people of all ages who have lung diseases such as asthma.

2.2 Background on the Bexar County Ozone Nonattainment Area

The EPA regulates ground level ozone based on the three-year average of the fourth-highest eight-hour average ozone concentration at regulatory monitoring sites within the region. This is referred to as the area’s design value. The Alamo Area has three regulatory monitoring sites called Continuous Air Monitoring Stations (CAMS).

On April 15, 2004, the EPA designated Bexar, Comal and Guadalupe Counties in violation, or “nonattainment”, of the eight-hour ozone standard. That standard was set at 80 parts per billion (ppb).

The area entered into an Early Action Compact (EAC) with the EPA that deferred nonattainment status for three years. As part of the EAC, the EPA would designate the area in attainment for ozone if the area’s air quality could comply with the 80 ppb ozone NAAQS during the 2005-2007 monitoring period. The area succeeded in the EAC, and, in 2008, the EPA proposed and ultimately designated the Alamo Area in attainment.


In late 2008, the EPA set a new ozone standard of 75 parts per billion (ppb). The Alamo Area violated this standard by 2012. With a new ozone NAAQS due in 2015, though, the EPA refrained from designating areas newly in violation of the outgoing standard.

2.2.1 Current Ozone Standard

While ozone levels in the Alamo Area have declined since 2012, the levels did not meet the most recent ozone NAAQS set in 2015 of 70 ppb. In 2018, the EPA designated Bexar County as marginal nonattainment, effective September 24, 2018. Under this marginal classification, Bexar County has until September 24, 2021 to attain the 2015 ozone NAAQS.

Exhibit 2.2.1-1 summarizes the area's declining design value compared against the 1997, 2008 and 2015 eight-hour ozone NAAQS.

Exhibit 2.2.1-1 Alamo Area Design Value in Parts Per Billion



Source: Texas Commission on Environmental Quality

Chapter 3: Conformity

3.1 What is Transportation Conformity

Transportation conformity ensures federal funding and approval go to transportation activities consistent with air quality goals. Before the metropolitan transportation plan (MTP) and transportation improvement program (TIP) can be adopted, approved, or accepted in nonattainment areas, Metropolitan Planning Organizations (MPOs) and the U.S. Department of Transportation must make transportation conformity determinations on these documents. As described in [Section 176\(c\)\(1\)](#) of the Clean Air Act Amendments (CAAA) of 1990, transportation conformity is granted when the following conditions are met:

(A) conformity to an implementation plan's purpose of eliminating or reducing the severity and number of violations of the national ambient air quality standards and achieving expeditious attainment of such standards; and

(B) that such activities will not –

(i) cause or contribute to any new violation of any standards in any area;

(ii) increase the frequency or severity of any existing violation of any standard in any area; or

(iii) delay timely attainment of any standard or any required interim emission reductions or other milestones in any area.

Because ozone budgets are not yet established for Bexar County, an interim emissions test is the key analytic component of the transportation conformity process. It is conducted to demonstrate that expected future year emission totals of on-road mobile sources in the Bexar County nonattainment area are under emission totals of a known baseline year. When this can be demonstrated through an emission model, transportation activities are determined to be consistent with air quality goals identified in the State Implementation Plan (SIP).

The determination of the analysis is a two-step process in metropolitan areas. The first step is for the MPO to make the initial transportation conformity determination at the local level. For the Alamo Area, the Transportation Policy Board (TPB) of the Alamo Area MPO (MPO) makes this determination. The second step is for the Federal Highway Administration (FHWA) and the Federal Transit Administration (FTA) to make a joint transportation conformity determination at the federal level. Upon federal approval, a four-year window begins during which projects, programs and policies identified in the MTP and TIP may move toward implementation.

3.2 Purpose

This transportation conformity was prompted by the adoption of a new TIP (2021-2024 TIP) and modification of the current MTP (*Mobility 2045*) for plan and TIP consistency.

3.3 Conformity Criteria

As stipulated by the Clean Air Act Amendments of 1990, transportation conformity involves the following requirements:

- Use of the latest planning assumptions ([40 CFR Part 93.110](#));
- Analysis based on the latest emission estimation model available ([40 CFR Part 93.111](#));
- Interagency consultation and a public involvement process conducted during the analysis ([40 CFR Part 93.112](#));
- Timely implementation of Transportation Control Measures (TCMs) ([40 CFR Part 93.113](#));
- An MTP and TIP that are consistent with the Motor Vehicle Emissions Budget (MVEB) established in the applicable SIP (if there is an adequate or approved SIP budget) ([40 CFR Part 93.118](#)); and
- Inclusion of all regionally significant projects expected in the nonattainment and maintenance area in the MTP and TIP ([40 CFR Part 93.114](#) & [115](#)).

3.4 Checklist

In an effort to improve the efficiency of the conformity determination review process for Texas, a checklist was developed as a guideline for preparing and reviewing transportation conformity documents. Exhibit 3.4-1 is the checklist detailing information relevant to this transportation conformity document.

Exhibit 3.4-1 Information Required for Transportation Conformity Review

Item	Regulation Reference	Format	Report Location
Documents			
<i>Mobility 2045</i> : The Metropolitan Transportation Plan (MTP)	40 CFR Part 93 Subpart A	Independent Self-Supporting Document (Electronic File)	Appendix 12.2
2021-2024 Transportation Improvement Program (TIP)	40 CFR Part 93 Subpart A	Independent Self-Supporting Document (Electronic File)	Appendix 12.3
Conformity document for the MTP and TIP	40 CFR Part 93 Subpart A	Independent Self-Supporting Document (Electronic File)	This document serves as the conformity document

Item	Regulation Reference	Format	Report Location
Emission Model			
Guidance Supporting MOVES Input Development (SIP Consistency, EPA's Information Sheets, etc.)		Discussion Contained in Conformity Document. EPA information in Appendix	Chapter 7 Appendix 12.10
Description of Version of MOVES Model Being Used	40 CFR Part 93.111	Discussion Contained in Conformity Document	Chapter 7
MOVES Input and Output Files		Electronic (XML files and MYSQL Databases)	Appendix 12.11
MOVES Emission Factors		Electronic (MYSQL Databases and text file format)	Appendix 12.12
MOVES External Reference Files (Estimated Hourly Emissions and Activity)		Electronic (Text file format)	Appendix 12.13
Mobile Source Emissions Reduction Strategies (MoSERS)			
MoSERS Methodology and Calculation Descriptions		Electronic File	Chapter 8
MoSERS Project Listing		Electronic File	N/A
Travel Demand Model			
Highway Performance Monitoring System Adjustment(s), Factors, Approach	40 CFR Part 93.122(b)(3)	Discussion Contained in Conformity Document	Chapter 5
Description of Travel Demand Model Validation, Including Validation Year	40 CFR Part 93.106(a)(1)(ii)	Discussion Contained in Conformity Document	Chapter 5 Appendix 12.4
Vehicle Miles of Travel (VMT) (August Midweek 24-hour by Roadway Type)		Discussion Contained in Conformity Document	Appendix 12.5
Average Loaded Speeds (August Midweek 24-hour by Roadway Type)		Discussion Contained in Conformity Document	Appendix 12.5
Centerline Mile Summaries for Each Analysis Year		Discussion Contained in	Appendix 12.5

Item	Regulation Reference	Format	Report Location
		Conformity Document	
Definition of Regionally Significant Roadway System		Discussion Contained in Conformity Document	Appendix 12.6
Network Link Listing for Each Analysis Year		Discussion Contained in Conformity Document (Electronic File) (Electronic Files should include TransCAD Files, SHAPE Files, and Spreadsheet Files)	Chapter 5 Appendix 12.7 Appendix 12.8
Files Containing Hourly Distribution By County, Roadway Type, and Vehicle Type for: <ul style="list-style-type: none"> • Vehicle Miles of Travel • Vehicle Hours • Average Operational Speed • Vehicle Population • NO_x Emissions • VOC Emissions 		Electronic Files in Tab Delimited Summary Tables	Appendix 12.14
SIP Requirements			
TCMs in SIP Including Emission Reductions, Methodologies, Implementation Dates, etc.		N/A	N/A
Timely Implementation of TCMs (progress)	40 CFR Part 93.113	N/A	N/A
Project Listings			
Congestion Mitigation and Air Quality Projects Containing: Emission Benefits, Methodologies, and Implementation Dates		N/A	N/A
Roadway System (Capacity Staging)		Electronic File	Appendix 12.7
List of Non-Federal Projects	In response to March 2, 1999, court ruling	Identified in TIP: Independent Self-Supporting Document (Electronic File)	Appendix 12.3
List of Exempt Projects	40 CFR Part 93.105(c)	Identified in TIP:	Appendix 12.3

Item	Regulation Reference	Format	Report Location
	40 CFR Part 93.126 40 CFR Part 93.127 ¹ 40 CFR Part 93.128	Independent Self-Supporting Document (Electronic File)	
Evidence of Fiscal Constraint	40 CFR Part 93.108	Identified in TIP: Independent Self-Supporting Document (Electronic File)	Appendix 12.3
Evidence of MTP Specifically Describing the Transportation System Envisioned for Each Analysis Year	40 CFR Part 93.106(a)	Included in MTP: Independent Self-Supporting Document (Electronic File)	Appendix 12.2
Public, State and Federal Involvement			
Conformity Pre-Analysis Consensus Plan		Electronic File	Appendix 12.15
Documentation of pre-interagency consultation dialogue (conference calls, etc.)	40 CFR Part 93.105(b)	Discussion Contained In Conformity Document	Chapter 10 Appendix 12.15
Questions and comments raised through interagency consultation process and responses	40 CFR Part 93.105(b)(2)	Electronic File	Appendix 12.15
Evidence of Public Participation and Response to Comments	40 CFR Part 93.105(7)(e)	Discussion Contained In Conformity Document. Response to comments (Electronic File)	Chapter 11 Appendix 12.16
General			
Glossary of Abbreviations		Discussion contained in Conformity Document	This conformity document, pg. 8
Endorsements and/or Resolutions		Electronic File	Appendix 12.1

¹ Projects listed in [40 CFR 93.127](#) are exempt from regional emissions analysis, but not localized emissions (hot-spot) analysis

3.5 Emissions Analysis

A regional emissions analysis is a required component of the transportation conformity process. It is conducted to demonstrate that regional emissions from on-road mobile sources do not exceed the established area’s MVEB, cause or contribute to violations of the NAAQS and to ensure transportation activities are consistent with air quality goals identified in the SIP.

3.5.1 Regional Inventory

This conformity analysis of the Bexar County nonattainment area accounts for emissions resulting from the nonattainment area’s MTP (*Mobility 2045*) including all regionally significant projects located within the Bexar County nonattainment area boundary.

3.5.2 Emissions Tests

This conformity determination uses the no-greater-than-baseline year emissions test ([40 CFR Part 93.119\(b\)\(2\)\(ii\)](#)). The baseline year test is one of two interim emissions tests available to nonattainment areas classified as “marginal” and with no prior ozone NAAQS budgets.

In this test, the transportation emissions reflecting the proposed MTP or TIP in the analysis year (the “build” or “action scenario”) must not be greater than the level of motor vehicle emissions in the baseline year. All conformity determinations using the baseline year test as an interim emissions test must use 2017 as the baseline year ([40 CFR Part 93.119\(e\)\(4\)](#)). Exhibit 3.5.2-1 outlines the baseline NO_x and VOC levels for the Bexar County nonattainment area.

Exhibit 3.5.2-1 Baseline Emissions for the Bexar County Nonattainment Area

Nonattainment Area	NO _x (tons/day)	VOC (tons/day)
2017 Baseline	35.60	22.58

3.5.3 Analysis Years

The required analysis years when using an interim emissions test, based on [40 CFR Part 93.119\(g\)\(1\)](#), are:

- A year no more than five years beyond the year in which the conformity determination is being made;
- The last year of the timeframe of the conformity determination, and
- Intermediate years as necessary, such that analysis years are not more than ten years apart

Exhibit 3.5.3-1 Required Analysis Years

Year	Requirement (40 CFR Part 93.119(g))
2017	Transportation conformity baseline year
2025	A year within five years of the year the conformity determination is being made (2021)
2035	Intermediate year
2045	Last year of the transportation plan

3.5.4 Analysis Results

This emissions analysis for determining transportation conformity was performed under the [40 CFR Part 93.119](#). The vehicle emission results shown in Exhibits 3.5.4-1 and 3.5.4-2 demonstrate that the Bexar County nonattainment area meets the conformity requirements for a newly designated nonattainment area.

Exhibit 3.5.4-1 2021 Transportation Conformity for the Bexar County Nonattainment Area Emissions of Nitrogen Oxides





Exhibit 3.5.4-2 2021 Transportation Conformity for the Bexar County Nonattainment Area Emissions of Volatile Organic Compounds



Chapter 4: *Mobility 2045* and 2021-2024 TIP

4.1 Overview

The Alamo Area MPO's Metropolitan Transportation Plan (MTP), *Mobility 2045*, reflects the transportation needs of the three and one-half county metropolitan planning area. It is a long-range plan that identifies mobility and access goals for our region, strategies to meet these goals and priority actions to be implemented by 2045. The geographic area covered by this plan includes Bexar County, Comal County, Guadalupe County and a portion of Kendall County (Exhibit 1.2-1). The MPO ensures the transportation planning in the Alamo Area is in accordance with Section 112 of the Federal Highway Act of 1973. The Transportation Policy Board (TPB) is the policy body for the MPO and oversees the regional transportation planning process. It continues to be the forum for continuous, comprehensive and cooperative decisions on transportation planning in the region.

4.2 Submittal Frequency

Bexar County was designated a marginal nonattainment area under the 2015 ozone NAAQS, effective September 24, 2018. The designation triggered the region's first determination of transportation conformity, due from the MPO and U.S. Department of Transportation (DOT) by September 24, 2019.

The MPO and DOT must determine the conformity of an MTP and TIP in nonattainment areas no less frequently than every four years ([40 CFR Part 93.104](#)). Every determination must include a new regional emissions analysis.

Each new MTP or revision to an MTP must be found to conform before the transportation plan is approved by the MPO or accepted by the DOT. A determination of transportation conformity is based on the MTP and revision taken as a whole. Only revisions that simply add or delete exempt project types listed in [40 CFR Part 93.126](#) or [127](#) are exempt from this requirement.

A new or revised TIP must also conform before the TIP is approved by the MPO or accepted by the DOT. A TIP amendment requires a new conformity determination for the entire TIP before the amendment is approved. The only allowable exceptions are again those found at [40 CFR Part 93.126](#) or [127](#).

Transportation conformity determinations can also be triggered by publication of State Implementation Plans (SIPs) establishing or revising Motor Vehicle Emissions Budgets (MVEB).


4.3 Regionally Significant Travel Projects/Programs

Projects determined to be regionally significant, except as specifically exempted under [40 CFR Part 93.126](#) and [40 CFR Part 93.127](#), must come from a conforming MTP and TIP or be individually found to conform prior to the issuance of federal approvals and other actions. The MPO has developed the following definition to classify projects as regionally significant for transportation conformity purposes:

- Those facilities federally functionally classified as interstate freeways, other freeways or expressways
- Those facilities federally functionally classified as principal arterials
- Roadways and intermodal connectors included in the federally adopted National Highway System
- Roads designated as SH or US routes
- Community connections that provide direct, continuously signed connections between nearby or adjacent census defined urbanized areas, urban clusters and population centers with more than 5,000 people
- Roadways between activity centers that serve as primary regional connectors to an otherwise unserved regional activity center
- Extensions of Regionally Significant Roadways to connect non-connecting termini
- Fixed guideway transit facilities that offer an alternative to regional highway travel
- Tollways as documented in the Metropolitan Transportation Plan
- Grade-separated interchange projects on Regionally Significant Roadways where no access existed previously

Exhibit 4.3-1 illustrates the roadway system within Bexar County that meets the definition of regionally significant. These roads are subject to transportation and project-level conformity determinations. All regionally significant roads in the MPO study area, including those outside the Bexar County nonattainment area, can be viewed online at: <http://www.alamoareampo.org/imap/> (check “on” the layer titled “Regionally Significant Roads”). Appendix 12.6 describes the local process undergone to identify a regionally significant roadway system.

Exhibit 4.3-1 Regionally Significant Roads in Bexar County



4.4 Non-Federal Projects/Programs

The MTP must include the design concept and descriptions for all existing and proposed regionally significant transportation projects, regardless of funding source ([23 CFR Part 450.324\(f\)\(9\)](#)). Further, it must also identify all necessary financial resources from public and private sources that are reasonably expected to be available to carry out the plan. Such regionally significant projects are included within the plan’s conformity determination.

Non-federal projects funded by sources such as local governments and local transportation authorities, such as signal improvements, intersection improvements and local roadway widening, may be of insufficient scale or scope to require inclusion within a transportation conformity regional emissions analysis. These “non-regionally significant” projects that do not require any federal project approval actions (i.e. environmental clearance or permit approvals) are not individually listed within the MTP or TIP.

4.5 Exempt Projects/Programs

A number of project types are exempt from the requirement of a transportation conformity determination. Revisions to a conforming MTP or TIP that simply add or delete such projects do not trigger a new conformity determination.

Some of the exempt projects listed under [40 CFR Part 93.126](#) include:

- continuation of ridesharing and vanpooling promotion activities at current levels,
- bicycle and pedestrian facilities,
- railroad/highway crossing,
- pavement resurfacing and/or rehabilitation,
- adding medians,
- widening narrow pavements or reconstructing bridges (no additional travel lanes), and
- purchasing new transit vehicles to replace existing vehicles or for minor fleet expansion.

[40 CFR Part 93.127](#) identifies a number of project types exempt from a regional emissions analysis but that may require project-level conformity in areas that are nonattainment for carbon monoxide or particulate matter. This does not pertain to the Bexar County nonattainment area.

Additionally, [40 CFR Part 93.128](#) exempts traffic signal synchronization projects but requires that those which are regionally significant be included in subsequent regional emissions analyses.

4.6 Constraints

One of the key requirements of the MTP and TIP is financial constraint, which is intended to ensure that the total estimated cost of projects included in the MTP does not exceed reasonably available estimated revenues. A conformity determination on financially constrained plans ensures that conformity findings are based on realistic plans and programs and that Transportation Control Measures (TCMs) and other projects that may be beneficial to air quality are funded.

4.6.1 Long-Range Financial Constraint (Plan)

The MTP's financial element must identify all sources of funds reasonably expected to be available and any innovative financial strategies that may be necessary to implement the MTP. The financial element of the MTP is documented in *Mobility 2045: The Metropolitan Transportation Plan for the Alamo Area MPO*, which is included as Appendix 12.2.

4.6.2 Short-Range Financial Constraint (TIP)

Financial constraint is also required for a conforming TIP, with funds programmed being equal to the total funds available. The TIP comprises the first four years of transportation activities in the MTP, and the requirement of financial constraint ensures that those activities committed to be funded in that timeframe have the financial resources available for implementation. The 2021-2024 TIP is included as Appendix 12.3.

Chapter 5: Estimation of Vehicle Activity

5.1 Travel Demand Model Overview (Regional SAMM4.1 TDM)

The MPO’s travel demand model (TDM), called San Antonio Multi-Modal Model (SAMM4.1), was validated in 2015 and serves as the source for forecasting vehicle miles of travel (VMT) and other travel characteristics for the MPO’s five-county model region (Bexar, Comal, Guadalupe, Kendall and Wilson Counties). Although the model is run for the entire 5-county region, subareas such as the MPO region, individual counties or specific travel corridors can easily be “clipped out” for further processing. This method is used to further process the modeling characteristics for the Bexar County nonattainment area.

The network-based TDM is executed in the TransCAD environment, which is a Geographic Information System-based commercial travel demand software package for transportation planning. The MPO is responsible for the development and application of the Regional TDM.

SAMM4.1 generates travel for 4 daily time periods outlined in Exhibit 5.1-1.

Exhibit 5.1-1 TDM Daily Time Periods

Time Period	Description
A.M. Peak	6:00AM - 9:00AM
Midday	9:00AM - 3:00PM
P.M. Peak	3:00PM - 7:00PM
Overnight	7:00PM – 6:00AM

The methodology for developing and validating a regional travel demand model involves a number of distinct steps:

- Develop base year (2015) demographic database
- Develop base year (2015) roadway network database
- Develop Tripcal5 Trip Generation model
- Develop Destination Choice Trip Distribution model
- Develop the Mode Choice model
- Develop vehicle and transit assignment models
- Cycle through the TDM process until the 2015 model is validated as compared to observed 2015 traffic counts and transit riders

The most recent model calibration and validation was performed for base year 2015. The existing 2010 base year model was re-calibrated/validated on the basis of 2015 regional traffic counts and 2015 transit ridership. This effort also included a re-forecast

of county-wide demographic data, which was allocated to individual Traffic Analysis Zones (TAZ) by a demographic allocation model as used for 2010. The 2015 county-wide population estimates from the State Data Center were used as the control totals for each of the five counties within the modeling region. TAZ population, households, income and employment were interpolated for all analysis years, 2017 (baseline year), 2025, 2035 and 2045.

Network Development was performed to create representations of the five-county highway and transit systems. For the roadway network, both physical and operational characteristics are coded for each link. These include Functional Class, Facility Type, Area Type, Lanes, Direction (1-way/2-way), Access (divided/undivided), Average Daily Speed, Congested (loaded) Speed, Capacity and Count/Forecast traffic volumes. As part of the network requirements for transportation conformity, several other link attributes were added including Annotations (Letting Years), Descriptions (for Projects) and Project IDs. An additional Edits field indicates the origination year of each network link. This, along with the letting year is used to determine the “open and operational” year so the project can be placed into the correct analysis year network.

For the transit network, Routes, Headways, Stops, Access (walk or park) and Fares are coded. The transit network also contains (auto-generated) dedicated walk links from Centroids to Stops.

The Facility Type Codes outlined in Exhibit 5.1-2 are used for the 2015 and all forecast roadway networks.

Exhibit 5.1-2 Facility Type Codes

Facility Type Code		
1. Radial IH FWY	10. Loop EXPY	19. Collector-Und
2. Radial HOV/Mgd FWY	11. Principal Art-Div	20. Frontage Rd
3. Loop IH FWY	12. Principal Art-CLT	21. Freeway Ramp
4. Loop HOV/Mgd FWY	13. Principal Art-Und	22. Direct Ramp
5. Radial Other FWY	14. Minor Art-Div	23. HOV/Mgd Ramp
6. Radial Other HOV/Mgd	15. Minor Art-CLT	24. Transit Link
7. Loop Other FWY	16. Minor Art-Und	99. Transit Walk
8. Loop Other HOV/Mgd	17. Collector-Div	
9. Radial EXPY	18. Collector-CLT	

In addition to facility type, each network link is associated with an area type (AT). ATs are defined by TAZ density and used to set roadway speeds and capacities. Changes in densities and area types over time enable the model networks to properly represent

roadway and transit performance within various types of urban settings. Generally, as urban density increases, roadway speeds decline and capacities increase. Exhibit 5.1-3 outlines the five area types, from highest to lowest density.

Exhibit 5.1-3 Area Types

Area Type				
Central Business District (CBD)	CBD Fringe (Urban Dense)	Urban Residential	Suburban Residential	Rural

A brief description of the 2015 Travel Demand Model steps is provided in section 5.2. Appendix 12.4 provides a more complete description of the TDM model development and calibration/validation.

5.2 Multimodal Transportation Analysis Process

The forecasting techniques used by the MPO are based on a four-step process designed to model observed travel behavior and predict the level of travel demand by region (5-county), MPO study area, County (Bexar nonattainment area), sub-area or specific travel corridors. The four model steps are: Trip Generation, Trip Distribution, Mode Choice, and Roadway/Transit Assignment. A detailed explanation is included in Appendix 12.4.

5.2.1 Trip Generation Model

The basic geographic unit for the travel demand modes is the traffic analysis zone (TAZ). The Trip Generation model (TRIPCAL5) estimates trip productions and trip attractions by trip purpose for each internal TAZ. There are 1,317 TAZs in the five-county region modeled by the MPO. The various trip purposes used in the MPO model are outlined in Exhibit 5.2.1-1.

Exhibit 5.2.1-1 Trip Purposes

Trip Purpose
Home-based Work
Home-based non-work Retail
Home-based non-work Other
Home-based non-work Education (Grades 1-12)
Home-based non-work Education (College, Trade)
Non-work Airport
Non home-based
Non home-based (Visitor/Commuter)
Commercial Truck & Taxi
External-local Commercial Truck
External-local Non-commercial
External Through

TRIPCAL5, the Trip Generation model, estimates zonal trip productions by purpose from zonal households, persons per household, income and household workers. The model next estimates zonal trip attractions from zonal employment and zonal Area Types. The model also ensures that total trip productions equal total trip attractions for each trip purpose, so that every completed trip will have two trip ends.

Within the Trip Generation model, the concept of market segmentation is first applied, segmenting (or disaggregating) person trip ends into various trip types, income and auto sufficiency groups based upon the zonal characteristics from which they originate. These market segments are carried forward into the Trip Distribution and Mode Choice models to improve the estimation of trip destinations (Destination Choice Model) and the estimation of selected travel modes.

5.2.2 Trip Distribution Model

The Trip Distribution Model (Destination Choice) determines the interaction between each zone within the MPO study area. Trips are allocated to competing destinations based on observed trip length frequencies and the attractiveness (number of trip attractions) of each TAZ. Using the trip purpose and “market segmentation” by trip purpose and income to inform the destination choice model of the relative characteristics of the traveler, the model estimates appropriate destination choices for the attraction end of the trip. This step produces completed trip interchanges with reasonable overall trip length and travel time characteristics. Again, the market segmentation is carried forward in the form of TAZ to TAZ trip matrices segmented by trip purpose and traveler characteristics. Reasonableness checks are performed after

this step to ensure that modeled trip orientation matches (sector-to-sector) observed travel flows.

5.2.3 Mode Choice Model

The Mode Choice (Nested Logit) model then determines the mode of travel selected by travelers. These decisions are based upon characteristics of (1) the trip maker (income and auto sufficiency); (2) the trip (purpose, length and orientation); and (3) the availability and utility of the competing transportation modes. The mode choice model produces travel for each of the four time periods for the modes listed in Exhibit 5.2.3-1.

Exhibit 5.2.3-1 Mode Choices Modeled

Mode Choice
Drive Alone
Shared Ride 2
Shared Ride 3+
Bus Local/Express (walk access)
Bus Local/Express (drive access)
Bicycle
Walk

5.2.3 Roadway & Transit Assignment Model

Finally, the Traffic Assignment model (TransCAD User Equilibrium) loads the travel demand (trips) to the roadway network, calculates delay for congested links and re-assigns as necessary to achieve network equilibrium. For future year networks (containing managed lanes), additional steps are necessary to properly assign travel to the managed facilities.

Two products of the Traffic Assignment Model are the regional traffic loads and transit demand. Analyses of vehicle flow and current or future congestion are often used to examine a variety of alternatives for future transportation systems.

The Transit Assignment model (TransCAD) simply assigns the transit riders to the appropriate routes, according to access/egress (stops) and the need for possible transfers between or among modes.

5.3 Speed Estimation Procedure

As part of the TDM calibration process, network (input) speeds are estimated for each roadway facility type and further stratified by area type. The input speeds represent average daily travel speeds, which produce average travel times for weekday travel. Speeds on facilities that are access controlled (freeways/expressways) are the faster

speeds and decline for facilities that are affected by traffic controls at intersections. Speeds also decline as area types become denser, which is indicative of typical urban, suburban and rural activities affecting travel behavior.

In addition to input speeds, the SAMM4 modeling process contains a speed feedback loop. This process degrades the network input speeds through a traditional Bureau of Public Roads (BPR) curve, which is calibrated for the San Antonio region. Thus, speeds are degraded as volume-to-capacity ratios (on a link-by-link basis) increase. The degraded speeds are recycled through model steps 2-4 (distribution, mode choice and assignment) and adjusted through five iterations to achieve a reasonable set of consistent speeds as used by each model step. The final set of (loaded) link speeds produced by the model consists of directional speeds for all facility types, area types and for the four (weekday) daily time periods.

Transit or bus speeds are also estimated by the modeling process. As most of the transit routes operate on roadways, the transit speeds begin with the roadway speeds and are adjusted (within the speed feedback loop). The transit route speeds are also further degraded based upon transit wait and dwell times calculated by transit routes. For those transit routes operating in their own dedicated or restricted transit lanes, the roadway input speeds are not affected by congestion.

5.4 Local Speed VMT

Local streets are not included in the regular roadway network coding, except for those used by transit (transit links). Local street speeds as well as local street VMT are estimated outside the modeling process so that total VMT can be reconciled with HPMS VMT.

5.5 Model VMT Adjustments

Federal regulations require Highway Performance Monitoring System (HPMS) VMT to be the primary measure of VMT within a nonattainment area. AAMPO provided TDM data sets, including trip matrices and four-time-period, directional, average non-summer weekday traffic (ANSWT) assignments, to the Texas A&M Transportation Institute (TTI) for emissions analysis. TTI post-processed the data sets to determine average summer weekday, county-coded, hourly, directional network link VMT and volumes consistent with HPMS VMT, and added intrazonal link VMT estimates. The TDM network ANSWT VMT plus intrazonal ANSWT VMT is referred to as “total model VMT”. The methodology followed is consistent with the procedures TTI uses to develop model adjustment factors for the other urban areas within Texas.

The summer weekday and hourly distribution factors were developed using the latest available 10-year aggregate Texas Department of Transportation (TxDOT) San Antonio District Automatic Traffic Recorder (ATR) traffic count data (2010-2019).

5.5.1 2017 Historical Year HPMS Consistency and Summer Weekday Adjustments

HPMS consistency: The 2017 historical year total model VMT was adjusted to summer weekday VMT using county-level VMT control totals. The VMT control total is county total, annual average daily traffic (AADT) HPMS VMT (from TxDOT’s 2017 Roadway Inventory Annual Report), adjusted to the summer weekday form using the seasonal adjustment. County control total VMT divided by county total model VMT produces the adjustment applied by county to total model VMT at the link level.

Seasonal adjustment: The seasonal (summer) weekday factor for converting county AADT HPMS VMT to county, summer weekday VMT control totals was calculated as the ratio average summer weekday-to-AADT ATR counts.

5.5.2 2025, 2035 and 2045 Forecast Years HPMS Consistency and Summer Weekday Adjustments

HPMS consistency: TTI applied an HPMS adjustment factor to total model link-level VMT for each year. The validation year HPMS adjustment factor was calculated as 2015 HPMS VMT (first adjusted to ANSWT form using the ANSWT/AADT ATR count ratio [based on aggregate 2015 ATR data from the five TDM counties]) divided by 2015 validation year total model VMT.

Seasonal adjustment: A county-level seasonal (summer) weekday factor was produced and used with the 2025, 2035 and 2045 analysis years. This factor was calculated as the ratio of the summer weekday-to-ANSWT counts.

Exhibits 5.5.2-1 and 5.5.2-2 outline the validation year HPMS factor and analysis year seasonal (summer) weekday factor.

Exhibit 5.5.2-1 HPMS Factor

2015 HPMS AADT VMT	AADT-to-ANSWT Factor	HPMS-Based ANSWT VMT	2015 TDM VMT ¹	HPMS Factor
53,827,397.00	1.04287	56,134,977.51	60,007,443.61	0.935466904

¹ AAMPO-provided TDM data (December 17, 2019) processed by TTI (unchanged from previous AAMPO-provided TDM data [December 14, 2018] for prior January 2019 TTI emissions analysis).

Exhibit 5.5.2-2 Summer Weekday (SWKD) Factors for 2017 Baseline Year and 2025, 2035 and 2045 Future Years

Year	Seasonal Factor Type	Factor
2017 (Baseline)	AADT-to-SWKD	1.07525
2025 and later	ANSWT-to-SWKD	1.02751

5.5.3 Summer Weekday Hourly VMT Distribution

County level, summer weekday, hourly travel factors were developed and used to allocate the 24-hour link VMT/volume estimates to each hour of the day. A single set was used for all analysis years. In order to maintain VMT proportions within each of the four time periods, the hourly fractions were normalized within each time period. Exhibit 5.5.3-1 outlines the summer weekday hourly VMT distributions.

Exhibit 5.5.3-1 Summer Weekday Hourly VMT Distributions

Period	Hour	24-Hour-Period	Four-Period ¹
AM Peak 3-Hrs.	6-7 a.m.	0.050337	0.284620
	7-8 a.m.	0.067680	0.382682
	8-9 a.m.	0.058840	0.332698
Mid-Day 6-Hrs.	9-10 a.m.	0.049597	0.154652
	10-11 a.m.	0.048710	0.151886
	11 a.m.-12 p.m.	0.051878	0.161764
	12-1 p.m.	0.054587	0.170212
	1-2 p.m.	0.056274	0.175472
	2-3 p.m.	0.059655	0.186014
PM Peak 4-Hrs.	3-4 p.m.	0.067927	0.238457
	4-5 p.m.	0.076002	0.266805
	5-6 p.m.	0.078561	0.275785
	6-7 p.m.	0.062371	0.218953
Overnight 11-Hrs.	7-8 p.m.	0.045318	0.208280
	8-9 p.m.	0.036621	0.168309
	9-10 p.m.	0.032143	0.147728
	10-11 p.m.	0.025226	0.115938
	11 p.m.-12 a.m.	0.017544	0.080632
	12-1 a.m.	0.010078	0.046318
	1-2 a.m.	0.006858	0.031519

Period	Hour	24-Hour-Period	Four-Period ¹
	2-3 a.m.	0.005984	0.027502
	3-4 a.m.	0.006148	0.028256
	4-5 a.m.	0.009542	0.043855
	5-6 a.m.	0.022120	0.101663
¹ To maintain VMT proportions within the four periods, the hourly fractions were normalized within each period.			

5.5.4 Directional Factors

Directional split factors were applied to total link volumes by functional class and area type. The directional factors were created by aggregating TDM link-level volumes by direction for each functional class/area type. Link-level AB directional volumes were divided by total volumes for each functional class/area type to estimate the direction split. This process was used for each TDM analysis year and time period.

5.5.5 Hourly Congested Speeds

TTI estimated directional, hourly operational link speeds using the TTI speed model, which estimates delay on each link as function of volume-to-capacity and applies it to the link’s estimated free-flow speed. TTI estimated the local streets category link average operational speeds, represented by the centroid connector links, as centroid connector TDM input speeds and, represented as added intrazonal links, as the zone’s average centroid connector input speed.

5.6 Transit System

VIA Metropolitan Transit (VIA) is the only fixed route transit provider within Bexar County, serving an area over 1,220 square miles that includes unincorporated parts of Bexar County as well as Alamo Heights, Balcones Heights, Castle Hills, China Grove, Cibolo (Bexar County portion only), Converse, Elmendorf, Kirby, Leon Valley, Olmos Park, San Antonio, Shavano Park, Sandy Oaks, St. Hedwig and Terrell Hills.

Assumptions regarding the level of transit service for this transportation conformity determination are consistent with VIA’s Vision 2040 long-range comprehensive transportation plan.

5.6.1 Transit VMT

The mode choice model forecasts the number and the routing of the transit person trips. (Person Trip Summaries by Mode for all analysis years are outlined in Appendix 12.9.) Transit trips are assigned to the individual transit routes, based upon trip origins and destinations. Buses, which are typically viewed as large commercial vehicles, are accounted for in the traffic assignment model, so transit VMT would be included. The

travel demand model does not explicitly estimate VMT made by transit vehicles, but emissions made by transit bus are captured in the vehicle fleet assumptions in the emission model. Usually, however, improved transit service (current or projected) would result in higher transit usage, which would reduce auto driver trips, VMT and emissions.

5.7 Roadway Travel & VMT by Time of Day

VMT estimates are provided by functional class and area type. VMT estimates for each analysis year are listed in Appendix 12.5.

5.7.1 Average Loaded Speeds

Average Loaded Speeds are provided by functional class and area type. Final loaded speeds for each analysis year are listed in Appendix 12.5.

5.7.2 Centerline and Lane Miles

Centerline miles and lane miles are provided by functional class and area type for each analysis year are listed in Appendix 12.5.

Chapter 6: Estimation of Off-Network Activity

To estimate the off-network (or parked vehicle) emissions, county-level, hourly estimates of the source-hours-parked (SHP) and starts activity were required for each vehicle type. Source hours extended idling (SHI) and auxiliary power unit (APU) hours estimates were needed for combination long-haul trucks. For estimation of the SHP and vehicle starts, vehicle population estimates were also needed. Appendix 12.13 contains the vehicle population and hourly SHP, starts, SHI and APU hours.

6.1 Estimation of Vehicle Population

Vehicle population estimates are needed to estimate the SHP and starts off-network activity. The vehicle population estimates were based on TxDMV registration data (latest available [2018 end-of-year]), vehicle population factors derived from the VMT mix and county-level VMT-based growth estimates for future years where actual registration data were not yet available.

6.1.1 Vehicle Population Estimates for 2017, 2025, 2035 and 2045

Since registration data were not available for future year analyses, the most recent TxDMV registration data sets (2018 end-of-year) were used. This data included vehicle population aggregated by vehicle registration category (Exhibit 6.1-1). Since the TxDMV registration data does not include each MOVES source use type and fuel type (SUT/FT) combination, vehicle population factors are developed using the 24-hour VMT mix for the analysis year. These factors are applied to vehicle registrations aggregated by category to split each category into each SUT/FT combination included in the analysis. This resulted in the base (2018) vehicle population estimates.

For each analysis year, VMT-based growth estimates were then calculated by dividing county, analysis year, summer weekday VMT by county, 2018 summer weekday VMT. These growth estimates were applied to the base vehicle population estimates to scale from the 2018 base to each analysis year estimate.

Exhibit 6.1-1 TxDMV Vehicle Registration Aggregations and Associated Vehicle Types for Estimating Vehicle Populations

Vehicle Registration ¹ Aggregation	Associated Vehicle Type ²
Motorcycles	MC_G
Passenger Cars (PC)	PC_G; PC_D
Trucks ≤ 8,500 gross vehicle weight rating (GVWR) (pounds)	PT_G; PT_D; LCT_G; LCT_D
Trucks > 8,500 and ≤ 19,500 GVWR	RT_G; RT_D SUSht_G; SUSht_D MH_G; MH_D IBus_D TBus_G; TBus_D SBus_G; SBus_D
Trucks >19,500 GVWR	CShT_G; CShT_D
NA ²	SULht_G; SULht_D CLht_G; CLht_D
<p>¹ To estimate vehicle populations, TxDMV county registration data extracts were used, consisting of: 1) light-duty cars, trucks, and motorcycles; 2) heavy-duty diesel trucks; and 3) heavy-duty gasoline trucks.</p> <p>² Vehicle population factors are the 24-hour weekday VMT mix fraction for each vehicle type in a category divided by the sum of the VMT mix fractions for all vehicle types in a category, except long-haul trucks. The four long-haul vehicle type populations are estimated using a long-haul-to-short-haul VMT mix ratio applied to the short-haul SUT population estimate.</p>	

6.2 Estimation of Source Hours Parked

The first activity measure needed to estimate the off-network emissions are county-level estimates of SHP by hour and vehicle type for each activity scenario. The SHP was estimated as a function of total hours (hours a vehicle exists) minus its hours of operation on roads (source hours operating, or SHO, which is the same as VHT).

The vehicle type SHP estimates were calculated for each hour of the day based on the link VMT and speeds, the VMT mix used in the link-based emissions analysis and the vehicle population estimates.

The VMT mix was applied to the link VMT to produce VMT estimates by vehicle type. Link VMT was divided by the link speed to produce SHO estimates. SHO was aggregated across links, then subtracted from source hours (equal to vehicle population as source hours equal number of hours in the period multiplied by the vehicle population, and each period is one hour) resulting in SHP estimates by vehicle type. This was performed for each analysis year, county and hour of day.

6.3 Estimation of Starts

The second activity measure needed to estimate the off-network emissions are county-level estimates of starts by hour and vehicle type for each activity scenario. Engine starts were based on the MOVES national default starts per vehicle per hour by vehicle type and the local vehicle type vehicle population estimates.

MOVES default weekday starts per vehicle were calculated using MOVES national scale inventory mode national default run activity output, as vehicle starts (for the MOVES weekday day type) divided by vehicle population. This was performed by hour and SUT/fuel type.

The local vehicle starts activity estimates were calculated as the product of national default starts/vehicle and the local vehicle type population estimates. The weekday vehicle starts estimates for each vehicle type were calculated by county, analysis year and hour of day.

6.4 Estimation of Source Hours Idling and Auxiliary Power Unit Hours

The remaining activity measures needed to estimate the off-network are emissions-producing hotelling activities. During hotelling, the truck's main engine is assumed to be in idling mode or its diesel auxiliary power unit is in use, or it is using electric power or no power. For each activity scenario, hotelling hours were first estimated followed by the hours attributed to the two emissions-producing hotelling components, SHI and diesel APU hours.

County, analysis year, summer weekday hotelling hours were first estimated using 24-hour weekday hotelling hour estimates for a 2017 baseline year (new estimates from recent TCEQ extended idling study); baseline and analysis year scenario VMT, speeds, and VMT mix; and analysis year scenario SHP estimation data.²

The 2017 baseline year county hotelling hours estimates for a 24-hour weekday from the TCEQ study were scaled to each analysis scenario using the ratio of analysis scenario-to-baseline combination long-haul truck 24-hour VMT (as truck VMT increases, so does the hotelling activity).

The 24-hour hotelling estimates were then distributed to each hour of day using the hotelling hours hourly distribution calculated for the analysis scenario as the inverse of the hourly distribution of VHT (or SHO, from the SHP calculation process) for combination long-haul trucks. Within each hour, SHP and hotelling hours were compared, and if hotelling hours exceeded SHP, hotelling hours were set equal to SHP.

² Baseline estimates of hotelling hours are 2017 winter weekday estimates, developed by TTI as part of the truck extended idling study that produced county 24-hour hotelling estimate totals for all Texas counties, sponsored by TCEQ starting in 2017.

SHI and APU hours components of hotelling hours were then estimated for each hour using the hourly hotelling hours estimates, combination long-haul truck travel fractions (calculated from local age distributions and MOVES default relative mileage accumulation rates) and hotelling activity distributions for each model year (Exhibit 6.4-1)³.

The SHI and APU hours activity distribution fractions were each first multiplied by the travel distribution (model year operating mode activity fraction multiplied by the associated model year travel fraction).

The product of the SHI fractions and travel fractions were then summed to produce the total SHI fraction, and the same process was performed for APU hours to produce total APU hours fraction. (The sum of the SHI and APU hours fractions subtracted from 1.0 results in the fraction of hotelling hours with electric power or no power in use.)

The total SHI and APU hours fractions were then each multiplied by the hotelling hours for each hour of the day to produce the SHI and APU hours estimates for each hour. This was performed for each analysis scenario (analysis year summer weekday).

Exhibit 6.4-1 Hotelling Activity Distributions by Model Year

First Model Year	Last Model Year	Operating Mode Fraction by ID and Name			
		200	201	203	204
		Extend/Idling	Diesel Aux	Battery AC	APU Off
1960	2009	0.8	0	0	0.2
2010	2020	0.73	0.07	0	0.2
2021	2023	0.48	0.24	0.08	0.2
2024	2026	0.4	0.32	0.08	0.2
2027	2050	0.36	0.32	0.12	0.2

³ Population and Activity of On-road Vehicles in MOVES201X (page 87 of unpublished report), https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=328870

Chapter 7: Emission Factors / MOVES Model

7.1 Overview

This chapter discusses development of the regional motor vehicle emissions analysis for the Bexar County nonattainment area, including all key assumptions used in the process. A regional emissions analysis must be conducted for multiple analysis years to satisfy the requirements of [40 CFR Part 93.109](#) of the conformity rule for ozone nonattainment areas. The following sections discuss the analysis years and a description of the modeling processes used to conduct the analysis.

7.2 Emissions Factor Estimation Model

The United States Environmental Protection Agency (EPA) has developed the Motor Vehicle Emission Simulator (MOVES) model to estimate emissions for mobile sources covering a broad range of pollutants. The latest model is MOVES2014. Subsequent enhancements have been made to the model. This emission analysis uses the August 2018 MOVES2014b release.

As outlined in the Pre-Analysis Consensus Plan included in Appendix 12.15, the Interagency Consultation (IAC) partners approved the use of MOVES2014b to develop 2017 (baseline year), 2025, 2035 and 2045 vehicle emission factors. Emission factors are one component in determining volatile organic compound (VOC) and nitrogen oxide (NO_x) emissions from the region's on-road vehicles. MOVES2014b input factors are outlined below in Exhibits 7.2-1 – 7.2-5.

Exhibit 7.2-1 MOVES2014b External Conditions

Command and Function	Input Parameter Values	Description
<p>MOVES Model Version Identifies the model version to be utilized for the analysis</p>	<p>MOVES2014b</p>	<p>MOVES2014a was released November 2015, then updated December 2015, November 2016 and December 2017 and August 2018. Texas A&M Transportation Institute (TTI) is using the latest and final MOVES2014 version, MOVES2014b.</p>
<p>Calendar Year Identifies calendar year for which emissions factors are to be calculated (Required to run model)</p>	<p>2017, 2025, 2035 and 2045</p>	<p>2017 baseline year and plan forecast years</p>
<p>Evaluation Month Provides option of calculating emissions factors for each month of the calendar year</p>	<p>7 (July)</p>	<p>Month of July is used to represent the summer season.</p>

Exhibit 7.2-2 MOVES2014b Input Parameters and Source

Input Parameter Name	Description	Source
Source Type Population	<p>Input the number of vehicles in the geographic modeling domain for each source use type (SUT). (MOVES sourcetypeyear table.)</p>	<p>MOVES defaults for rates runs. TTI estimates local gasoline- and diesel-powered source type populations by analysis year for use external to MOVES in the estimation of county-level vehicle starts and source-hours-parked activity (needed in the external emissions calculations), per TTI's rates-per-activity, TDM-based method. Populations by SUT and fuel type are a function of Texas Department of Motor Vehicles (TxDMV) vehicle registration data (2018 is latest available) and VMT mix and, in the case of future years, population scaling factors.</p>
Source Type Age Distribution	<p>Input that provides the distribution of vehicle counts by age for each calendar year and MOVES source type. TxDMV registration data is used to estimate the age distributions of vehicle types up to 31 years. The distribution of age fractions should sum up to 1.0 for all vehicle types for each analysis year. (MOVES sourcetypeagedistribution table.)</p>	<p>TTI develops age distributions using TxDMV analysis year-specific vehicle registration data aggregated at the county-level for all vehicle classes except short-haul source types, which use the regional aggregation (five TDM counties), and the long-haul source types, which use the statewide level. All source type age distributions are estimated using the TxDMV data except for refuse trucks, motor homes and buses, which use MOVES defaults for the year of the local data. Latest available 2018 EOY registration data (for age distributions) will be used for the 2017 baseline and all future years.</p>
Vehicle Type VMT	<p>Input county-specific VMT distributed to 5 HPMS vehicle types (by MOVES "HPMSVtypeID"). (MOVES hpmsvtypeyear table.)</p>	<p>MOVES defaults for rates runs. Local activity estimates are applied in the link-based emissions calculations external to MOVES.</p>
Average Speed Distribution	<p>Input average speed fractions into 16 speed bins by SUT, road type, hour and day-type. The sum of</p>	<p>MOVES defaults for rates runs.</p>

Input Parameter Name	Description	Source
	<p>each speed distribution over the 16 speed bins by SUT, road type, hour and day-type is 1.0.</p> <p>(MOVES avgspeddistribution table.)</p>	<p>Local activity estimates are applied in the link-based emissions calculations external to MOVES.</p>
Road Type Distribution (VMT Fractions)	<p>Input county specific VMT by road type. VMT fractions are distributed between the road types and must sum to 1.0 for each SUT.</p> <p>(MOVES roadtypedistribution table.)</p>	<p>MOVES defaults for rates runs.</p> <p>Local activity estimates are applied in the link-based emissions calculations external to MOVES.</p>
Ramp Fraction	<p>Input county specific fraction of ramp driving time on rural and urban restricted roadway types.</p> <p>(MOVES roadtype table.)</p>	<p>Ramp fractions are set to zero. The restricted access roadway type emission rates output will be 100% restricted access roadway type, exclusive of ramps, which are processed separately. TTI's external link-level emissions calculation procedure applies MOVES unrestricted access roadway type emission rates to individual network links coded as ramps. (Separate ramp roadway type emission rates output is not available from MOVES.)</p>
Meteorology	<p>County specific data on temperature and humidity.</p> <p>(MOVES zonemonthhour table.)</p>	<p>Average June through August, hourly temperature and hourly relative humidity inputs for each county (produced by TCEQ for inventory development using 2017 weather station data) for all analysis years. See Exhibit 7.2-3.</p>
I/M Coverage	<p>Input Inspection and Maintenance (I/M) program coverage record for each combination of pollutants, process, county, fuel type, regulatory class and model year are specified using this input.</p> <p>(MOVES imcoverage table.)</p>	<p>No I/M program to be modeled since none is required in the San Antonio region.</p>
Fuel Supply	<p>Input to assign existing fuels to counties, months and years and to assign the associated market share for each fuel type.</p>	<p>For each analysis year and season, the fuel supply will consist of one conventional gasoline formulation and one conventional diesel formulation. See Exhibit 7.2-4.</p>

Input Parameter Name	Description	Source
	(MOVES fuelsupply table.)	
Fuel Formulation	Input county specific fuel properties in the MOVES database. (MOVES fuelformulation table.)	Local fuel formulations based on TCEQ 2017 summer fuel survey data for 2017, and latest local survey data (TCEQ 2020 summer fuel survey), with some adjustments to particular future year values made for consistency with future year “expected” values (regulatory standards). See Exhibit 7.2-5.
Fuel Engine Fraction / Diesel Fraction	Input fuel engine fractions (i.e. Gasoline vs. Diesel Engines types in the vehicle population) for all vehicle types. (MOVES avft table.)	Locality-specific and MOVES default. TTI develops the evaluation year-specific local gasoline/diesel fractions for the MOVES single unit and combination truck SUTs using the TxDMV registration data for each analysis year, aggregated to the statewide level. MOVES defaults are used for the other SUTs, except alternative fuel fractions are dropped and the default gasoline/diesel fractions are renormalized.

Exhibit 7.2-3 MOVES2014b Hourly Meteorological Data for Bexar County

Hour	Temperature (degrees F.) ¹	Relative Humidity (%) ¹
12:00 a.m.	78.99	77.90
1:00 a.m.	77.82	81.39
2:00 a.m.	76.91	84.04
3:00 a.m.	76.21	85.87
4:00 a.m.	75.69	87.13
5:00 a.m.	75.26	88.00
6:00 a.m.	74.88	88.78
7:00 a.m.	75.43	87.31
8:00 a.m.	77.66	81.44
9:00 a.m.	80.33	72.68
10:00 a.m.	82.98	64.24
11:00 a.m.	85.47	57.70
12:00 p.m.	87.72	52.12
1:00 p.m.	89.53	48.18
2:00 p.m.	91.03	44.94
3:00 p.m.	92.13	43.00
4:00 p.m.	92.60	42.18
5:00 p.m.	92.48	42.81
6:00 p.m.	91.50	44.95
7:00 p.m.	89.54	50.16
8:00 p.m.	86.61	56.89
9:00 p.m.	84.11	62.97
10:00 p.m.	82.12	68.75
11:00 p.m.	80.42	73.82
Period	Barometric Pressure (Inches of Mercury)	
24-hr	29.049	
Average hourly data (24-hr for pressure) from weather stations within Bexar County June through August 2017 (provided by TCEQ).		

Exhibit 7.2-4 MOVES2014b Fuel Supply

Fuel Formulation ID	Market Share	Market Share CV ⁴
17702, 19702	1.0	\N
30637, 30011	1.0	\N

Exhibit 7.2-5 MOVES2014a Fuel Formulation Inputs for Bexar County

Fuel Type	Units	Summer 2017		Summer Future Years	
		Gas E	Diesel	Gas E	Diesel
Fuel Formulation ID	-	17702	30637	19702	30011
Fuel Subtype ID	-	12	20	12	20
RVP	psi	7.54	0	7.80	0
Sulfur Level	ppm	21.28	6.37	10.00	11.00
ETOH Volume	vol. %	9.66	0	9.56	0
MTBE Volume	vol. %	0	0	0	0
ETBE Volume	vol. %	0	0	0	0
TAME Volume	vol. %	0	0	0	0
Aromatic Content	vol. %	25.35	0	22.22	0
Olefin Content	vol. %	8.33	0	8.69	0
Benzene Content	vol. %	0.76	0	0.61	0
e200	vap. %	49.45	0	49.64	0
e300	vap. %	82.68	0	84.60	0
Vol to Wt Percent Oxy ²	-	0.3653	0	0.3653	0
BioDieselEster Volume ²	vol.%	\N	\N	\N	\N
Cetane Index ²	-	\N	\N	\N	\N
PAH Content	vol.%	\N	\N	\N	\N
T50	°F	203.73	0	202.53	0

⁴ Market Share CV – the coefficient of the market share (“\N” is “null” or not used).

T90	°F	327.68	0	319.75	0
<p>TTI produced the gasoline formulations based on information in TCEQ's summer 2017 and summer 2020 statewide fuel (gasoline and diesel) surveys. The gasoline formulations are by Texas fuel regions; diesel is statewide. Gas E is the east Texas formulation based on samples from "state 7.8 RVP limit" counties. Summer 2017 gasoline formulations are actuals using the 2017 survey data. Future Years formulations are summer 2020 actuals (latest local survey-based estimates), except with RVP, sulfur level, and benzene content set equal to the MOVES defaults (i.e., expected future year values consistent with the pertinent regulatory standards). Bexar County falls under Gas E. Diesel sulfur for 2017 is the statewide actual average based on TCEQ's summer 2017 fuel survey data; and for Future Years diesel sulfur is set to the expected level (i.e., within the ultra low sulfur diesel average annual standard and consistent with the maximum observed values from the last four TCEQ statewide surveys). "N" is "null" value, or not used.</p>					

7.2.1 Vehicle Registration Distribution

The vehicle population estimates were based on TxDMV registration data (latest available [2018 end-of-year]), vehicle population factors derived from the VMT mix and county-level VMT-based growth estimates. Exhibit 7.2.1-1 displays the vehicle types associated with aggregated TxDMV registration data. Vehicle population factors developed using the analysis year 24-hour VMT mix were applied to vehicle registrations aggregated by category to split each category into each SUT/fuel type combination included in the analysis, creating the base (2018) vehicle population estimates. For each analysis year, VMT-based growth estimates were calculated by dividing county, analysis year, summer weekday VMT by county, 2018 summer weekday VMT. These growth estimates were applied to the base vehicle population estimates to scale from the 2018 base to each analysis year estimates.

Exhibit 7.2.1-1 TxDMV Vehicle Registration Aggregations and Associated Vehicle Types for Estimating Vehicle Populations

Vehicle Registration¹ Aggregation	Associated Vehicle Type²
Motorcycles	MC_G
Passenger Cars (PC)	PC_G; PC_D
Trucks ≤ 8,500 gross vehicle weight rating (GVWR) (pounds)	PT_G; PT_D; LCT_G; LCT_D
Trucks > 8,500 and ≤ 19,500 GVWR	RT_G; RT_D SUSHT_G; SUSHT_D MH_G; MH_D IBus_D TBus_G; TBus_D SBus_G; SBus_D
Trucks >19,500 GVWR	CShT_G; CShT_D

NA ²	SULhT_G; SULhT_D CLhT_G; CLhT_D
<p>¹To estimate vehicle populations, TxDMV county registration data extracts were used, consisting of: 1) light-duty cars, trucks, and motorcycles; 2) heavy-duty diesel trucks; and 3) heavy-duty gasoline trucks.</p> <p>² Vehicle population factors are the 24-hour weekday VMT mix fraction for each vehicle type in a category divided by the sum of the VMT mix fractions for all vehicle types in a category, except long-haul trucks. The four long-haul vehicle type populations are estimated using a long-haul-to-short-haul VMT mix ratio applied to the short-haul SUT population estimate.</p>	

7.3 Adjustments to Emission Factors

7.3.1 Low Emissions Diesel NO_x Adjustment

The nitrogen oxides (NO_x) emission factors calculated by MOVES need to be adjusted due to the use of TxLED, which produces lower NO_x emissions than the national low emission diesel fuel. The RatesAdj utility was used along with TxLED NO_x adjustment factors, produced by TTI using TCEQ procedures, to generate emission rates that account for the effects of TxLED on diesel vehicle NO_x emissions. These factors are listed in Table 14 of the MOVES Analysis Notes in Appendix 12.10.

7.3.2 Vehicle Miles of Travel Mix

The VMT mix designates the vehicle categories included in the analysis and specifies the fraction of on-road fleet VMT attributable to each vehicle type. VMT mixes were estimated using TTI's VMT mix method.⁵ The method sets Texas vehicle registration category aggregations for MOVES SUT categories for developing the VMT mixes, as well as for developing other fleet parameters needed elsewhere in the process (i.e. SUT age distributions, vehicle population estimates).

The VMT mixes are produced in five-year increments and applied to analysis years as follows: 2015 VMT mix – 2013 through 2017 analysis years; 2020 VMT mix – 2018 through 2022 analysis years; 2025 VMT mix 2023 through 2027 analysis years, and so on. No seasonal adjustments are made for VMT mix. Average weekday vehicle type VMT mixes by MOVES road type and by four time-of-day periods (AM Peak, Mid-Day, PM Peak, Overnight) were estimated for the TxDOT San Antonio District for use with Bexar County in this analysis.

TTI used the latest available multi-year TxDOT San Antonio District vehicle classification counts (2009-2018) and associated TxDMV year-end registration data

⁵ *Developing MOVES Source Use Types and VMT Mix for Conformity Analysis* (TxDOT Air Quality / Conformity IAC-A - TTI Task 409252-0643: Maintain, Update and Enhance Traffic Activity Estimation and Forecasting Methods), Texas Department of Transportation, Austin, TX, August 2016.

(2018), along with MOVES default data, as needed (i.e., appropriate for each analysis year).

Exhibit 7.3.2-1 lists the vehicle types delineated in the local VMT mix.

Exhibit 7.3.2-1 Vehicle Types Delineated in Local VMT Mix

Source Use Type	Gasoline	Diesel
Motorcycle	MC_G	-
Passenger Car	PC_G	PC_D
Passenger Truck	PT_G	PT_D
Light Commercial Truck	LCT_G	LCT_D
Intercity Bus	-	IBus_D
Transit Bus	-	TBus_D
School Bus	SBus_G	SBus_D
Refuse Truck	RT_G	RT_D
Single Unit Short-Haul Truck	SUShT_G	SUShT_D
Single Unit Long-Haul Truck	SULhT_G	SULhT_D
Motor Home	MH_G	MH_D
Combination Short-Haul Truck	CShT_G	CShT_D
Combination Long-Haul Truck	-	CLhT_D

7.4 Modeled Emission Estimation

Modeled emission estimates are calculated using “TTI emission inventory estimation utilities using moves: MOVES2014bUtils”, developed by TTI for MOVES. This utility combines vehicle activity and emissions factors to create emission estimates at the link level.

Chapter 8: Mobile Source Emission Reduction Strategies (MoSERS)

8.1 Overview

Mobile Source Emission Reduction Strategies (MoSERS) are a collection of transportation projects or related activities with identifiable emission reduction benefits. To meet requirements of the State Implementation Plan (SIP), nonattainment areas may make specific commitments in their SIP to implement MoSERS, called Transportation Control Measures (TCMs). Nonattainment areas may elect to complement TCMs with programs that reduce on-road mobile source emissions through voluntary changes in transportation choices and activities called Weight of Evidence (WOE). Finally, a nonattainment area may include Transportation Emission Reduction Measures (TERMs) in transportation conformity analysis that are outside of commitments in their SIP.

Bexar County does not have an ozone NAAQS budget in the existing SIP. Instead, the interim emissions test described in Chapter 3.1 demonstrated that on-road sources in Bexar County do not exceed known emissions in the baseline year (2017) or expected emissions in future analysis years (2025, 2035 or 2045). Thus, no TCMs, WOE or TERMS were incorporated into this transportation conformity analysis.

8.2 Congestion Mitigation and Air Quality Improvement Program

The Congestion Mitigation and Air Quality Improvement (CMAQ) Program is a categorical funding program created with ISTEA and continued under TEA-21, SAFETEA-LU, MAP-21 and the FAST Act. This program directs funding to projects that contribute to meeting the National Ambient Air Quality Standards (NAAQS). CMAQ funds generally may not be used for projects that result in the construction of new capacity available to single-occupant vehicles. On April 20, 2019, the MPO Transportation Policy Board approved CMAQ funding for 12 programs and projects through FY 2022 of the FY 2021-2024 TIP and *Mobility 2045*. More information on the local allocation of CMAQ funding can be found at <http://alamoareampo.org/AirQuality/funding.html>.

Chapter 9: Determination of Regional Emissions

9.1 Procedure

In order to report final emission analysis results, it is necessary to account for modeled link level emission inventories, emission factor adjustments and Mobile Source Emission Reduction Strategies (MoSERS) emission benefits.

9.2 Modeled Emissions

Emissions for analysis years 2017 (baseline year), 2025, 2035, and 2045 are listed in Exhibit 9.2-1. These consist of link level roadway-based modeled emissions for Bexar County. The emissions were calculated by the Texas A&M Transportation Institute (TTI) using the Environmental Protection Agency's MOVES2014b model.

Exhibit 9.2-1 Emission Results for the Bexar County Nonattainment Area

Analysis Year	NO _x (tons/day)	VOC (tons/day)
2017 (Baseline)	35.51	22.44
2025	16.93	14.81
2035	10.64	10.24
2045	10.76	9.91

9.3 Adjustments to Emission Factors

Post-processing adjustments are applied using the emission factor post-process utility developed by TTI. These adjustments are applied to establish final emission factors used in emission calculation procedures to establish the model results shown in Exhibit 9.2-1. This process is described in detail in Chapter 7.

9.4 Mobile Source Emission Reduction Strategies

Mobile Source Emission Reduction Strategies (MoSERS) are a collection of transportation projects that have been identified and quantified for having emission reduction benefits. No MoSERS were incorporated into this transportation conformity analysis.

9.5 Final Emission Analysis Results

Since this conformity does not use credits from Mobile Source Emission Reduction Strategies, such as voluntary mobile emission reduction programs or TCMs, the final emission results are the same as the modeled emissions. Table 9.2-1 shows the final emission results for this conformity.

Chapter 10: Interagency Consultation

10.1 Process Description

Interagency review and comment on the conformity finding was conducted in accordance with [40 CFR Part 93.112](#). Local, state, and federal transportation and air quality agencies affected by this conformity analysis were consulted on the scope, methodologies and products of the conformity finding. A group of Interagency Consultation (IAC) partners included representatives of each of the following agencies:

- Alamo Area Metropolitan Planning Organization (MPO)
- Texas Department of Transportation (TxDOT)
- Texas Commission on Environmental Quality (TCEQ)
- Texas A&M Transportation Institute (TTI)
- Federal Highway Administration (FHWA)
- Federal Transit Administration (FTA)⁶
- U.S. Environmental Protection Agency (EPA)

The purpose of this group is to ensure that the modeling methodology utilized in this conformity analysis is consistent with the on-road modeling utilized in the State Implementation Plan and that the most recent planning assumptions were used. The IAC partners were consulted regularly during the conformity process, and Exhibit 10.1-1 summarizes the meetings that occurred before local determination of this conformity document by the MPO Transportation Policy Board. All IAC partner meeting agendas and a comprehensive summary of decisions are included in Appendix 12.15.

Exhibit 10.1-1 Interagency Consultation Meeting Participation

Date	MPO	TxDOT	TCEQ	FHWA	EPA	Subject
October 30, 2019	Y	Y	Y	Y	Y	FY 2021-2024 TIP Pre-Analysis Consensus Plan (PACP) Review
February 3, 2020	Y	Y	Y	Y	Y	Emissions Analysis Review Link Listing
November 17, 2020	Y	Y	Y	Y	N	Closure of FY 2020 Conformity and Initiation of FY 2021 Regional Transportation Conformity; Project Changes Related to FY2021-2024 TIP Fiscal Constraint; FY 2021 PACP Parameters

⁶ Note: FHWA acts as executive agent for the FTA

Chapter 11: Public Participation

11.1 Process Description

Public participation is a cornerstone for all processes undertaken by the Alamo Area Metropolitan Planning Organization (MPO). The MPO Public Participation Policy (Policy 2), last amended on October 26, 2020, establishes the methods and structure to be followed when engaging and informing the community of activities of the MPO. In addition, the MPO has adopted a policy regarding Limited English Proficiency (LEP) access, which was last modified in March 2015. The Alamo Area Metropolitan Planning Organization followed its adopted Public Participation and Limited English Proficiency Plans for the development and adoption of the FY 2021-2024 Transportation Improvement Program, MTP project list and the 2021 Transportation Conformity Document.

All meetings of the MPO Transportation Policy Board and Technical Advisory Committee are subject to the Texas Open Meetings Act and are open to the public. Meeting notices are sent to the Texas Secretary of State, published in the Texas Register, and posted at the Bexar, Comal, Guadalupe and Kendall County Courthouses and at the MPO offices in accordance with the Texas Open Meetings Act. All MPO meetings are accessible to persons with disabilities.

During Fall 2019, the MPO sought feedback on the projects covered by the draft FY 2021-2024 Transportation Improvement Program during a series of four public meetings held throughout the MPO study area and in an online format. During those meetings, the MPO also discussed the region's air quality status and the impact to planning processes of the nonattainment designation.

All meetings began at 6:00 p.m., were similar in content and format, and were livestreamed via Facebook. Generally, each meeting consisted of an overview presentation and an audience participation exercise to gather input on current projects and propose projects for future funding. The public meeting dates, time and locations are provided below:

- Kendall County: Wednesday, September 25, 2019 at Kronkosky Place located at 17 Old San Antonio Road, Boerne, TX 78006
- Bexar County: Thursday, September 26, 2019 at VIA Metropolitan Transit, located at 1021 San Pedro, San Antonio, TX 78212.
- Guadalupe County: Wednesday, October 2, 2019 at the Seguin Public Library located at 313 W. Nolte Street, Seguin, TX 78155
- Comal County: Thursday, October 3, 2019 at the New Braunfels Civic Center, 375 S. Castell Avenue, New Braunfels, TX 78130

To advertise the public meetings, newspaper ads were run in the *San Antonio Express-News*, *New Braunfels Herald*, *Seguin Gazette* and *Boerne Star*. The public meetings were also advertised in a press release, through the MPO's bi-weekly e-newsletter (FastTrack) and posted on Facebook, Twitter and Instagram. The MPO's partner agencies assisted with outreach for the meetings and in securing presentations for MPO staff at community organizations.

For individuals not able to attend a public meeting in person, the MPO provided a virtual meeting process online at www.alamoareampo.org/yourmove that duplicated the in-person public meeting content and format. The online public input ran from Monday, September 23 through Thursday, October 3, 2019.

Other public input methods during the TIP development process included comment cards at public meetings, the participation exercise, and e-mails, letters and speaking opportunities at TAC and TPB meetings. The comment cards allowed for input on the transit and roadway project lists as well as the effectiveness of the public involvement process itself. All materials online and at the in-person public meetings were provided in Spanish.

Continued public involvement for the FY 2021-2024 TIP, MTP project list and the corresponding Transportation Conformity Determination ran from Friday, February 14, 2020 through Sunday, March 15, 2020. Documentation for this determination of transportation conformity was posted on the MPO's website at www.alamoareampo.org/airquality/conformity on February 13, 2020. The 30-day public comment period was addressed in all MPO FastTrack emails sent biweekly from January 14 through March 10, 2020; at the Transportation Policy Board meeting on January 27, 2020; and in the Texas Register on February 21, 2020. It was also advertised in the *San Antonio Express-News* on February 23, 2020 and with a press release to the media on February 25, 2020.

A public meeting was held on Thursday, February 27, 2020 at the VIA Metro Center (1021 San Pedro Avenue) in San Antonio to gather comments in person. Other public input opportunities occurred at each open meeting the MPO held during this time period (Pedestrian Mobility Advisory Committee meeting on Wednesday, February 19, 2020; Technical Advisory Committee meeting on Friday, March 6, 2020). Comments were also accepted through the link above as well as by email to blazosky@alamoareampo.org or by mail to 825 S St. Mary's Street, San Antonio, TX 78205.

The MPO's Transportation Policy Board made a local determination of transportation conformity on May 18, 2020. Exhibit 11.1-1 outlines the outreach undertaken for transportation conformity leading up to the local action by the Board. Copies of all public

comments received as part of the transportation conformity process and analysis can be found in Appendix 12.16. Of the 11 public comments received, seven were related to the MTP and TIP. Four others were related to transportation conformity, public participation or an unrelated topic.

In Fall 2020, financial constraint issues at the state level led TxDOT Districts, in coordination with the MPOs, to reprioritize projects in their TIPs and MTPs. Revisions to AAMPO's 2021-2024 TIP necessitated a new analysis of regional motor vehicle emissions. On November 20, 2020, the MPO officially ceased the FY 2020 Regional Conformity Determination process and subsequently initiated a FY 2021 Regional Conformity Determination.

The MPO conducted public involvement in FY 2021 from Monday, December 14, 2020 through Tuesday, January 12, 2021. The public was encouraged to review and comment on the revised FY 2021-2024 TIP, MTP project list and the corresponding Transportation Conformity Determination. Documentation for this determination of transportation conformity was posted on the MPO's website at www.alamoareampo.org/airquality/conformity on December 11, 2020. The 30-day public comment period was addressed in all MPO FastTrack emails sent biweekly from December 14, 2020 through January 18, 2021, and in the Texas Register on December 11, 2020. It was also advertised in the *San Antonio Express-News* on December 13, 2020 and with a press release to the media.

The MPO held a virtual public meeting, consistent with local public health recommendations and the MPO's Public Participation Plan, on Tuesday, January 5, 2021. Other public input opportunities occurred at each open meeting the MPO held during this time period (Transportation Policy Board meeting on Monday, December 14, 2020; Technical Advisory Committee meeting on Friday, January 8, 2021). Comments were also accepted through the link above as well as by email to blazosky@alamoareampo.org or by mail to 825 S St. Mary's Street, San Antonio, TX 78205.

Exhibit 11.1-1: Public Involvement for Transportation Conformity

Activity	2019			2020						2021
	August	Sept	Oct	Jan	Feb	March	April	May	Dec	Jan
Transportation Policy Board			P #8	-	-	-	P #8	A #5	P #9	A #11
Technical Advisory Committee		P #6	P #6	-	-	P #7	A #5		P #8	A #8
Announcement of Public Comment Period	X			X						X
Inclusion in FastTrack and MPO Social Media Outlets		X		X	X	X				X
Distribution of Press Release		X			X				X	
FY 2021-2024 TIP, MTP and Conformity Public Meetings		Sept 25 & 26, 2019	Oct 2 & 3, 2019		Feb 27, 2020					Jan 5, 2021
Other Posted MPO Public Meetings		Sept 23, 2019	Oct 4, 2019		Feb 19, 2020	March 6, 2020			Dec 14, 2020	Jan 8, 2021

Key

P – Presentation Item

A – Action Item

– Agenda Item Number

List of Appendices

- 12.1 - Resolution**
- 12.2 - Mobility 2045**
- 12.3 - 2021-2024 Transportation Improvement Program**
- 12.4 - Travel Model Validation**
- 12.5 - VMT, Loaded Speed, and Centerline Mile Summaries**
- 12.6 - Definition of Regionally Significant Roadway System**
- 12.7 - Roadway System (Capacity Staging) and Network Link Listing**
- 12.8 - Roadway Network**
- 12.9 - Mode Choice Model Summaries**
- 12.10 - MOVES Information and Analysis Notes**
- 12.11 - MOVES Input and Output Files (.zip)**
- 12.12 - MOVES Emission Factors (.zip)**
- 12.13 - Estimated Hourly Emissions and Activity (.zip)**
- 12.14 - VMT, Speed, and Emissions Summaries (.zip)**
- 12.15 - Interagency Consultation Process**
- 12.16 - Public Involvement Process**